



# Assembly Instructions

**SPEEDY EASY UP  
TENTS (40mm)**

**10'x10' (40mm)**


**10'x20' (40mm)**

## Speedy Easy Up Tents

Speedy Easy Up Tents are the ultimate in instant shelters. This is a perfect shelter if you are an individual looking for an instant shelter to use in your backyard or take to sporting events or if you are a commercial customer looking for an affordable, robust professional looking shelter for your next event, trade show, business or outdoor market place. Speedy Easy Up Tents will provide years of use to both consumers and businesses. Our superior quality and materials will more than satisfy your expectations.


### STEP 1. CHECK ITEM LIST

- Tent Canopy and Frame
- Tie Down Kit (nylon ropes and hook stakes)
- Heavy Duty Wheeled Storage Bag




High Strength Internal Cross Bars


Fully Water Proof, Polyester Canopy— with Inner PVC Rain Gaurd Coating




Reinforced Canopy Corners




High Strength Corner Cap




High Performance Center Peak Tension Bar




Quick Release Alloy Fitting—Reinforced Spring and Pull Pin System



Cast Alloy Slider Fitting with Pull Pin




Stainless Steel Foot Plate




Hexagonal Industry Alloy Frame—(40mm)

## STEP 2. POSITION FRAME




- Place frame on level ground, in the desired location
- Note:** The first time you assemble your Speedy Tent the frame will be separate from canopy
- Two people should be positioned on opposite sides of frame
- Locate *diamond* portion of the cross bars see (**figure A**)
- Open the frame by having both people pull and stepping backward—only open 3/4s of the way

## FIGURE A. HAND POSITION




- Locate the lower *diamond*, on the cross bars
- Gripping the cross bars at this point will give you the best leverage when pulling the tent frame open
- Note:** Pulling on opposite legs also works, as a method to open frame

## STEP 3. ATTACH CANOPY




- Carefully lift canopy over frame
- Center, as best you can
- Pull corners to their respective corner legs
- Locate hook and loop strips, on top of the corner legs—line up strips from canopy and connect the two— see (**figure B**)

## FIGURE B. CONNECTING HOOK STRIPS




- At the top of each corner leg you will find the hook strip
- Align corner of canopy so that the corner seam sits on top of leg
- Align hook and loop strips and connect

## STEP 4. FULLY OPEN FRAME




- From the same standing position, both people should now continue opening the frame to its full out stretched position

## STEP 5. SLIDER FITTING



- The slider fitting locks the cross bars into place
- Start by rolling the canopy corner half-way up
- With one hand on top of leg, push up on the slider fitting with your other hand –until you reach the lock hole and hear a *click*
- Roll canopy corner back down
- Do this for all four corners


## STEP 6. EXTENDING LEGS



Lift top portion,  
then slide lower  
portion down


- Both people should move to the same side of the frame— for rectangle shaped tents, pick a long side
- At the same time lift the corner legs — two at a time
- Open quick release pin, near the bottom of leg
- Slide bottom portion of leg down to desired height and *click* into place— all legs should be same length
- Repeat for other legs— remember work as a team

## STEP 7. SECURE CANOPY STRAPS



- Last step, under the canopy you will see several hook and loop straps
- It is very important to secure all of these straps— needless to say, this will secure the canopy to the frame

## FINISHED TENT



- Make any last minute location moves — by lifting tent with one person on each leg
- Anchor tent with ropes, ratchet straps or sandbags

### **STRIKE PROCEDURE** (reverse of assembly)


—make sure tent is dry, for storage—

- 1.) Two people; quick release lower legs— two at a time
- 2.) Roll canopy corners up, release slider fittings (push up on nearest cross bar)
- 3.) Grasp upper diamond of center cross bar—walk towards center—STOP at 3/4s closed
- 4.) Change hand positions to outside of legs and finish closing
- 5.) Bag tent for storage

# Speedy-Easy Up Tent Parts (40mm):

Please contact us if you have issues with your Speedy Tent. You can identify all parts involved here – making communication about your request easier.

## 10x10, 10x20 SPEEDY TENTS (40mm)



Top Center Pole  
SKU: ST-41874-3M  
Lower Center Pole  
SKU: ST-41875-3M  
Plastic Plug  
(for crossbar ends)  
SKU: ST-41886

Pull Pin  
SKU: ST-41890


- 1.) Center Pole Cap  
SKU: ST-41888
- 2.) Center Pole & Cap  
SKU: ST-41873-3M
- 3.) Plastic Washer  
SKU: ST-41889
- 4.) Center Pole Bracket  
SKU: ST-41877
- 5.) Crossbar Pair  
SKU: ST-41876-3M
- 6.) Corner Leg Pull  
Pin Bracket  
SKU: ST-41879
- 7.) Outer Upper Leg  
SKU: ST-41870-3M
- 8.) Inner Lower Leg  
SKU: ST-41872-3M
- 9.) Corner Leg Top Joint  
SKU: ST-41878
- 10.) Upper & Lower  
Crossbar Joint  
SKU: ST-41883

- 11.) Leg Middle Pull  
Pin and Bracket  
SKU: ST-41880
- 12.) Steel Foot (50mm)  
SKU: ST-41884
- 13.) Crossbar Hardware  
SKU: ST-41885
- 14.) Large Spring (center pole)  
SKU: ST-41891
- 15.) Small Spring (center pole)  
SKU: ST-41892
- 16.) Plug for Spring  
SKU: ST-41893

**Complete Frame  
10 x 10 (40mm)**  
SKU: ST-1140  
Canopy SKU: ST-1140TT

## 10x20 SPEEDY TENT (40mm)

(specific to this size)  
Refer to the list above  
for remaining parts



**Complete Frame  
10 x 20 (40mm)**  
SKU: ST-1240F  
Canopy SKU: ST-1240WTT